



BRAND GUIDELINES

KOHLTECH BRAND GUIDELINES


This document will help you understand how to use the Kohltech logo. If you have any questions, please contact Jeff Barsalou at jbarsalou@kohltech.com.



SAFE AREA



To ensure our logo is legible and always looking its best, you should keep all other logos and text clear by a measure of the height of the stem of the “K”.



MINIMUM SIZING

The smallest acceptable size for reproducing our logo is 1” in width.

COLOUR VALUES



PANTONE: PROCESS BLUE C, PROCESS BLUE U
CMYK: C 100, M 0, Y 0, K 0
RGB: R 0, G 174, B 239
HEX: #00AEEF



PANTONE: BLACK C, BLACK U
CMYK: C 0, M 0, Y 0, K 100
RGB: R 44, G 42, B 41
HEX: #2C2A29

OUR LOGOS



ENGLISH



FRENCH

CORRECT USE



Colours or photographs that have a density less than 20% black use our colour logo.



Use our solid black logo when applying it to photographs with density lighter than 50% black.



If your application is printing one colour or black and white and has a light background, use our solid black logo.



If your application is printing one colour or black and white and has a dark background, use our reverse logo.



If your application is printing colour but our logo is being applied to a dark background, use our reverse and blue logo.

INCORRECT USE



 SKEW



 OUTLINE



 CHANGE COLOURS



 PLACE ON ANGLE



583 MacElmon Road
P.O. Box 131
Debert, Nova Scotia
Canada B0M 1G0

T. 1-800-565-4396

15311 128 Ave NW
Edmonton, Alberta
Canada T5V 1A5

T. 1-800-379-5818

kohltech.com